




Ms Kelly Ho

Tel: 0086 - 0760 - 8759 8298

WeChat: a13528271092

Website: <https://upwardlighting.com>

Mobile: 0086 - 135 2827 1092

WhatsApp: 0086 135 2827 1092

E-mail: sales2@upwardlighting.com

Mr Michael Liao

Tel: 0086 - 0760 - 8759 8298

Mobile: 0086 - 138 2277 0715

Website: <https://upwardlighting.com>

WhatsApp: 0086 - 138 2277 0715

WeChat: Upwardlights

E-mail: michael@upwardlighting.com

ADD: FLOOR 5, N.O. 67 OF JINGANG ROAD, WEST DISTRICT OF ZHONGSHAN CITY, 528401, GUANGDONG PROVINCE, CHINA



ZHONGSHAN UPWARD LIGHTING CO., LTD



COMPANY PROFILE

Upward Lighting Co., Ltd was founded in 2009, which is a manufacturer & trading combo. We are specializing in the production of commercial led lighting products. Products of high quality, fashionable, widely used for indoor & outdoor decoration, launched around 10 new items per year, 98% of our products are exported to European countries, South America and North America.

Upward Lighting over the years has always adhered to “quality of products in order to survive, credibility and development services” business purposes. Committed to providing you with high-quality products and no worried after-sales services. Have a professional, skillful production team, from choosing to material supplier, inspecting to raw material, production processing to the product assembly, for each aspect and processes are rigorously testing and control.

Over the past few years of production and management and exploration, we have set up our own quality management system. Upward Lighting to always implement the concept of customer value creation for customers tailored products to meet the needs of different customers, and continuously provide customers with solutions and technical problems. Further exploration and innovation, and excellence.

Warmly welcome you and opening up the boundaries of communication. We synchronize with your ideal partner!



<https://upwardlighting.com>

Upward Lighting

Showroom



CHINA UPWARD LIGHTING CO., LTD

<https://upwardlighting.com>



Model N.O.		Power		Product Size	
UPW-TG-791		72W		Φ195*H285 MM	
UPW-TG-792		96W		Φ225*H305 MM	
UPW-TG-793		120W		Φ235*H310 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-794		72W		Φ226*L150*H240 MM	
UPW-TG-795		96W		Φ256*L170*H265 MM	
UPW-TG-796		120W		Φ275*L175*H278 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-014		10W		Ø90*H120 MM	
UPW-TG-015		20W		Ø115*H175 MM	
UPW-TG-016		30W		Ø150*H210 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Relector's Angle	60°	Led's Brand	Bridgelux COB		
Driver Brand	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	3000K , 4000K , 5000K , 6500K				



Model N.O.		Power	Product Size	
UPW-TG-017		3W	Ø95*H130 MM	
UPW-TG-019		6W	Ø130*H170 MM	
UPW-TG-020		9W	Ø150*H180 MM	
UPW-TG-021		12W	Ø150*H180 MM	
UPW-TG-022		15W	Ø180*H210 MM	
UPW-TG-023		18W	Ø180*H210 MM	
UPW-TG-024		24W	Ø230*H280 MM	
UPW-TG-025		36W	Ø230*H280 MM	
UPW-TG-018		48W	Ø290*H280 MM	
Material	Aluminum Alloy, Tempered Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux
Driver	DONE		Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC , 24VDC (Dmx Rgb)			
Led's Color	2700K-6500K, Red, Green, Blue, Rgb, Rgbw			



Model N.O.		Power		Product Size	
UPW-TG-026		6W		Ø130*H155 MM	
UPW-TG-122		12W		Ø150*H220 MM	
UPW-TG-084		18W		Ø180*H250 MM	
UPW-TG-124		24W		Ø220*H280 MM	
UPW-TG-027		36W		Ø280*H300 MM	
UPW-TG-125		96W		Ø350*H420 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K-6500K, Red, Green, Blue				




Model N.O.		Power	Product Size	
UPW-TG-056		3W	Ø100*H80 MM	
UPW-TG-336		6W	Ø120*H160 MM	
UPW-TG-057		9W	Ø150*H210 MM	
UPW-TG-058		12W	Ø150*H210 MM	
UPW-TG-337		15W	Ø205*H260 MM	
UPW-TG-059		18W	Ø205*H260 MM	
UPW-TG-338		24W	Ø235*H280 MM	
UPW-TG-060		36W	Ø235*H280 MM	
UPW-TG-339		48W	Ø285*H380 MM	
Material	Aluminum Alloy, Tempered Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux
Driver	DONE		Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC, 24VDC (Dmx Rgb)			
Led's Color	2700K-6500K, Red, Green, Blue, Rgb, Rgbw			



Model N.O.		Power		Product Size	
UPW-TG-121		9*3W		Ø140*H235 MM	
UPW-TG-028		12*3W		Ø178*H260 MM	
UPW-TG-126		18*3W		Ø215*H345 MM	
UPW-TG-505		27*3W		Ø250*H345 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	5°	Led's Brand	CREE 3535		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC, 24VDC (Dmx Rgb)				
Led's Color	2700K-6500K, Red, Green, Blue, Rgb, Rgbw				



Model N.O.		Power		Product Size	
UPW-TG-011		18W		L192*W145*H297 MM	
UPW-TG-012		36W		L320*W145*H297 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC, 24VDC (Dmx Rgb)				
Led's Color	2700K-6500K, Red, Green, Blue, Rgb, Rgbw				



Model N.O.		Power		Product Size	
UPW-TG-037		3*2W		Ø100*H160 MM	
UPW-TG-131		9*1W		Ø130*H180 MM	
UPW-TG-132		12*1W		Ø130*H180 MM	
UPW-TG-133		18*1W		Ø160*H200 MM	
UPW-TG-038		36*1W		Ø190*H230 MM	
UPW-TG-039		54*1W		Ø230*H260 MM	
UPW-TG-040		100*1W		Ø290*H425 MM	
UPW-TG-041		150*1W		Ø360*H460 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC, 24VDC (Dmx Rgb)				
Led's Color	2700K-6500K, Red, Green, Blue, Rgb, Rgbw				



Model N.O.		Power		Product Size	
UPW-TG-075		30W		L335*W220*H158 MM	
UPW-TG-096		36W		L335*W220*H158 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC, 24VDC (Dmx Rgb)				
Led's Color	2700K-6500K, Red, Green, Blue, Rgb, Rgbw				



Without Cap



With Cap




Model N.O.		Power		Product Size	
UPW-TG-079		12*2W		Ø145*H200 MM	
UPW-TG-080		24*2W		Ø205*H265 MM	
UPW-TG-081		36*2W		Ø260*H370 MM	
UPW-TG-082		72*2W		Ø340*H445 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE 3535	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC, 24VDC (Dmx Rgb)				
Led's Color	2700K-6500K, Red, Green, Blue, Rgb, Rgbw				




Model N.O.		Power	Product Size	
UPW-TG-625		12*1W	Ø150*140*H205 MM	
UPW-TG-626		24*1W	Ø190*180*H275 MM	
UPW-TG-627		36*1W	Ø210*185*H290 MM	
UPW-TG-628		60*1W	Ø250*200*H330 MM	
UPW-TG-366		120*1W	Ø320*230*H410 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			


Model N.O.		Power	Product Size	
UPW-TG-629		3*2W	Ø85*110*H180 MM	
UPW-TG-630		9*2W	Ø125*140*H230 MM	
UPW-TG-631		18*1.5W	Ø165*180*H320 MM	
UPW-TG-419		24*1.5W	Φ190*190*H345 MM	
UPW-TG-632		36*1.5W	Φ230*210*H380 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power		Product Size	
UPW-TG-312		6*1W		Ø110*L138*H146 MM	
UPW-TG-171		18*1W		Ø170*L162*H215 MM	
UPW-TG-172		36*1W		Ø206*L185*H265 MM	
UPW-TG-313		54*2W		Ø240*L190*H380 MM	
UPW-TG-170		60*2W		Ø280*L270*H390 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE 3535	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K-6500K, Red, Green, Blue, Rgb				




Model N.O.		Power		Product Size	
UPW-TG-182		12*1W		Ø150*W110*H175 MM	
UPW-TG-183		18*1W		Ø180*W165*H235 MM	
UPW-TG-184		36*1W		Ø230*W200*H288 MM	
UPW-TG-185		72*1W		Ø290*W180*H300 MM	
UPW-TG-186		120*1.6W		Ø335*W248*H354 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE 3535	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K-6500K, Red, Green, Blue, Rgb				



Model N.O.		Power		Product Size	
UPW-TG-322		9*2W		Ø125*H310 MM	
UPW-TG-506		20W		Ø125*H310 MM	
UPW-TG-323		12*3W		Ø158*H310 MM	
UPW-TG-507		30W		Ø158*H310 MM	
UPW-TG-324		24*2W		Ø205*H310 MM	
UPW-TG-325		36*2W		Ø255*H385 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE 3535 / CREE COB	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power	Product Size
UPW-TG-315		3*2W	Ø80*H172 MM
UPW-TG-508		10W	Ø80*H172 MM
UPW-TG-316		9*2W	Ø125*H236 MM
UPW-TG-509		20W	Ø125*H236 MM
UPW-TG-319		12*2W	Ø158*H237 MM
UPW-TG-510		30W	Ø158*H237 MM
UPW-TG-320		24*2W	Ø205*H239 MM
UPW-TG-321		36*2W	Ø255*H325 MM
Material	Aluminum Alloy, Tempered Glass		Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE 3535 / CREE COB
Driver	DONE	Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		



Model N.O.	Power	Product Size	
UPW-TG-302	16*1W	L200*W150*H56 MM	
UPW-TG-511	5*3W	L200*W150*H56 MM	
UPW-TG-303	36*1W	L270*W215*H56 MM	
UPW-TG-512	16*3W	L270*W215*H56 MM	
UPW-TG-304	72*1W	L370*W260*H60 MM	
UPW-TG-305	100*1.2W	L410*W310*H60 MM	
UPW-TG-306	144*1.2W	L466*W357*H70 MM	
UPW-TG-513	49*3W	L466*W357*H70 MM	
Material	Aluminum Alloy, Tempered Glass		Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE
Driver	DONE	Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		



Model N.O.		Power		Product Size	
UPW-TG-307		4*5W		L96*W96*H150 MM	
UPW-TG-308		5*5W		L135*W135*H230 MM	
UPW-TG-309		9*5W		L170*W170*H260 MM	
UPW-TG-310		16*5W		L195*W195*H290 MM	
UPW-TG-311		16*8W		L213*W213*H345 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	3° / 5°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-514		12*1W		Ø220*H190 MM	
UPW-TG-515		18*1W		Ø248*H205 MM	
UPW-TG-516		36*1W		Ø300*H220 MM	
UPW-TG-517		72*1W		Ø357*H250 MM	
UPW-TG-518		120*1.6W		Ø440*H375 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K, Rgb				



Model N.O.		Power		Product Size	
UPW-TG-520		6*3W		Ø120*H210 MM	
UPW-TG-521		12*3W		Ø158*H245 MM	
UPW-TG-522		24*3W		Ø205*H275 MM	
UPW-TG-523		36*2W		Ø255*H340 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K, Rgb				

Model N.O.		Power		Product Size	
UPW-TG-524		24*2W / 7*5W		Ø170*H350 MM	
UPW-TG-525		24*2W / 7*5W		Ø170*H420 MM	
UPW-TG-526		24*2W / 7*5W		Ø170*H260 MM	
UPW-TG-527		24*2W / 7*5W		Ø170*W240*H250 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-528		36*2W / 18*5W		Ø220*H385 MM	
UPW-TG-529		36*2W / 18*5W		Ø220*H445 MM	
UPW-TG-530		36*2W / 18*5W		Ø220*H310 MM	
UPW-TG-531		36*2W / 18*5W		Ø220*W340*H310 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-370		36*3W		Φ220*H233 MM	
UPW-TG-401		72*3W		Φ270*H253 MM	
UPW-TG-402		108*3W		Φ320*H293 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-400		3*3W		Ø90*H140 MM	
UPW-TG-340		9*2W		Ø140*H175 MM	
UPW-TG-341		18*2W		Ø180*H208 MM	
UPW-TG-342		36*2W		Ø230*H215 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-352		36*1W / 24*2W		Ø220*W250*H300 MM	
UPW-TG-531		54*1W / 36*2W		Ø265*W310*H350 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-191		18*1.2W		L185*W150*H190 MM	
UPW-TG-192		36*1.2W		L260*W150*H190 MM	
UPW-TG-193		48*1.2W		L350*W150*H210 MM	
UPW-TG-194		100*1.2W		L575*W150*H210 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power	Product Size	
UPW-TG-532		8*3W	L185*W150*H190 MM	
UPW-TG-533		12*3W	L260*W150*H190 MM	
UPW-TG-534		18*3W	L350*W150*H210 MM	
UPW-TG-535		24*3W	L395*W150*H210 MM	
UPW-TG-536		36*3W	L575*W150*H210 MM	
Material	Aluminum Alloy, Tempered Glass		Warranty	3 Years
Len's Angle	3°, 5°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power		Product Size	
UPW-TG-195		96*1.2W		L350*W335*H210 MM	
UPW-TG-537		36*3W		L350*W335*H210 MM	
UPW-TG-196		200*1.2W		L575*W370*H210 MM	
UPW-TG-538		72*3W		L575*W370*H210 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60° 3° / 5° for 3W Led		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-197		36*1.5W		L200*W200*H265 MM	
UPW-TG-198		54*1.5W		L305*W200*H275 MM	
UPW-TG-539		24*4W		L305*W200*H275 MM	
UPW-TG-540		48*4W		L420*W305*H350 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60° 3° / 5° for 4W Led	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-199		72*1.5W		L425*W200*H350 MM	
UPW-TG-541		30*4W		L425*W200*H350 MM	
UPW-TG-200		144*1.5W		L425*W420*H370 MM	
UPW-TG-542		60*4W		L425*W420*H370 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60° 3° / 5° for 4W Led		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-201		90*1.5W		L525*W200*H350 MM	
UPW-TG-202		180*1.5W		L525*W420*H370 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				




Model N.O.		Power		Product Size	
UPW-TG-203		108*1.5W		L575*W200*H350 MM	
UPW-TG-543		48*4W		L575*W200*H350 MM	
UPW-TG-204		216*1.5W		L575*W420*H370 MM	
UPW-TG-544		96*4W		L575*W420*H370 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60° 3° / 5° for 4W		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-205		144*1.5W		L685*W200*H350 MM	
UPW-TG-545		60*4W		L685*W200*H350 MM	
UPW-TG-206		288*1.5W		L685*W420*H370 MM	
UPW-TG-546		120*4W		L685*W420*H370 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60° 3° / 5° for 4W		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-207		50W		L175*W350*H75 MM	
UPW-TG-208		100W		L250*W350*H75 MM	
UPW-TG-209		150W		L340*W350*H75 MM	
UPW-TG-210		200W		L410*W350*H75 MM	
UPW-TG-211		250W		L485*W350*H75 MM	
UPW-TG-212		300W		L575*W350*H75 MM	
Material	Aluminum Alloy, PC			Warranty	5 Years
Len's Angle	30° / 60° / 90°		Led's Brand	CREE	
Driver	MEANWELL		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-328		6*2W		L97*W92*H143 MM	
UPW-TG-329		12*2W		L145*W136*H210 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power	Product Size	
UPW-TG-330		15W	L135*W125*H100 MM	
UPW-TG-547		15W	L135*W125*H100 MM	
UPW-TG-548		15W	L195*W125*H100 MM	
UPW-TG-549		15W	L195*W125*H100 MM	
UPW-TG-331		30W	L165*W160*H120 MM	
UPW-TG-550		30W	L165*W160*H120 MM	
UPW-TG-551		30W	L256*W160*H120 MM	
UPW-TG-552		30W	L165*W160*H120 MM	
UPW-TG-553		30W	L165*W160*H120 MM	
UPW-TG-332		50W	L210*W190*H140 MM	
UPW-TG-554		50W	L210*W190*H140 MM	
UPW-TG-368		100W	L250*W240*H190 MM	
UPW-TG-555		100W	L250*W240*H190 MM	
UPW-TG-556		100W	L250*W240*H190 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	Reflector: 21° Len: 7°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power	Product Size	
UPW-TG-557		18*2W	Ø210*L145*H190 MM	
UPW-TG-558		50W	Ø210*L160*H145 MM	
UPW-TG-559		50W	Ø210*L195*H145 MM	
UPW-TG-560		50W	Ø210*L235*H190 MM	
UPW-TG-561		50W	Ø210*L350*H190 MM	
UPW-TG-562		50W	Ø210*L235*H190 MM	
UPW-TG-563		50W	Ø210*L420*H190 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	2° / 5° / 7° / 19° / 30° / 45°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power	Product Size	
UPW-TG-564		18*2W	L200*W130*H120 MM	
UPW-TG-282		36*2W	L265*W185*H140 MM	
UPW-TG-565		54*2W	L300*W220*H330 MM	
UPW-TG-566		72*2W	L380*W250*H360 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K			



Model N.O.		Power		Product Size	
UPW-TG-567		10W		L130*W114*H140 MM	
UPW-TG-568		10W		L130*W114*H140 MM	
UPW-TG-569		10W		L130*W114*H255 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	3° / 25°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-570		18*2W		Ø195*L160*H200 MM	
UPW-TG-571		18*2W		Ø195*L235*H200 MM	
UPW-TG-572		36*2W		Ø230*L205*H255 MM	
UPW-TG-573		36*2W		Ø230*L235*H255 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.	Power	Product Size
UPW-TG-574	18*2W	Ø165*L180*H170 MM
UPW-TG-575	18*2W	Ø165*L245*H170 MM
UPW-TG-576	18*2W	Ø165*L180*H145 MM
UPW-TG-577	18*2W	Ø165*L245*H145 MM
UPW-TG-578	18*2W	Ø165*L180*H385 MM
UPW-TG-579	18*2W	Ø165*L245*H385 MM
Material	Aluminum Alloy, Glass	Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand CREE
Driver	DONE	Protect Grade Waterproof IP65
Input Voltage	85V-265VAC	
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K	

Model N.O.	Power	Product Size
UPW-TG-580	9*2W	Ø125*L135*H125 MM
UPW-TG-581	9*2W	Ø125*L185*H125 MM
UPW-TG-582	9*2W	Ø125*L135*H145 MM
UPW-TG-583	9*2W	Ø125*L185*H145 MM
UPW-TG-584	9*2W	Ø125*L135*H385 MM
UPW-TG-585	9*2W	Ø125*L185*H385 MM
Material	Aluminum Alloy, Glass	Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand CREE
Driver	DONE	Protect Grade Waterproof IP65
Input Voltage	85V-265VAC	
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K	



Model N.O.		Power		Product Size	
UPW-TG-586		3*2W		Ø85*L110*H140 M	
UPW-TG-587		3*2W		Ø85*L135*H140 M	
UPW-TG-588		3*2W		Ø85*L110*H430 M	
UPW-TG-589		3*2W		Ø85*L135*H430 M	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-590		36*1W / 24*2W		Ø190*L172*H185 MM	
UPW-TG-591		36*1W / 24*2W		Ø190*L255*H185 MM	
UPW-TG-592		36*1W / 24*2W		Ø190*L172*H145 MM	
UPW-TG-593		36*1W / 24*2W		Ø190*L255*H145 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-594		54*1W / 36*2W		Ø230*L190*H230 MM	
UPW-TG-365		54*1W / 36*2W		Ø230*L280*H230 MM	
UPW-TG-595		54*1W / 36*2W		Ø230*L190*H145 MM	
UPW-TG-596		54*1W / 36*2W		Ø230*L280*H145 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power	Product Size	
UPW-TG-597		9*2W	Ø125*L170*H125 MM	
UPW-TG-598		9*2W	Ø125*L170*H145 MM	
UPW-TG-599		18*2W	Ø165*L200*H170 MM	
UPW-TG-600		18*2W	Ø165*L200*H145 MM	
UPW-TG-601		36*1.5W	Ø190*L210*H185 MM	
UPW-TG-602		36*1.5W	Ø190*L210*H145 MM	
UPW-TG-603		54*1.5W	Ø230*L230*H230 MM	
UPW-TG-604		54*1.5W	Ø230*L230*H145 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power		Product Size	
UPW-TG-605		6*1W		Ø90*L175*H110 MM	
UPW-TG-606		12*1W		Ø120*L200*H120 MM	
UPW-TG-607		18*1W		Ø150*L260*H120 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-608		5*2W		Ø95*L110*H60 MM	
UPW-TG-609		9*2W		Ø120*L150*H70 MM	
UPW-TG-610		18*2W		Ø145*L175*H75 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-611		60W		Ø300*L290*H190 MM	
UPW-TG-612		60W		Ø300*L390*H190 MM	
UPW-TG-613		60W		Ø300*L290*H190 MM	
UPW-TG-614		60W		Ø300*L390*H190 MM	
UPW-TG-615		54*1.5W		Ø300*L290*H190 MM	
UPW-TG-616		54*1.5W		Ø300*L390*H190 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	7° / 15° / 30° / 45° / 60°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-617		12*1.5W		Ø132*L100*H100 MM	
UPW-TG-618		16*1.5W		Ø165*L115*H100 MM	
UPW-TG-619		25*1.5W		Ø190*L130*H145 MM	
UPW-TG-620		36*1.5W		Ø230*L165*H190 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power	Product Size	
UPW-TG-621		12*1.5W	Ø132*L100*H100 MM	
UPW-TG-622		16*1.5W	Ø165*L115*H100 MM	
UPW-TG-623		25*1.5W	Ø190*L130*H120 MM	
UPW-TG-624		36*1.5W	Ø230*L165*H120 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power		Product Size	
UPW-TG-490		9*1.5W		L95*W95*H140 MM	
UPW-TG-491		16*1.5W		L125*W125*H170 MM	
UPW-TG-492		25*1.5W		L145*W145*H200 MM	
UPW-TG-493		36*1.5W		L185*W185*H240 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-496		5*4W		L95*W95*H140 MM	
UPW-TG-497		9*4W		L125*W125*H170 MM	
UPW-TG-498		16*3W		L145*W145*H200 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	3° / 5°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-412		16*2W		L125*W125*H176 MM	
UPW-TG-415		25*2W		L160*W160*H212 MM	
UPW-TG-417		49*2W		L200*W200*H240 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-413		5*5W		L125*W125*H176 MM	
UPW-TG-416		9*5W		L160*W160*H212 MM	
UPW-TG-418		16*5W		L200*W200*H240 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	3° / 5°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power	Product Size	
UPW-TG-001		9W	Φ103*L89*H152 MM	
UPW-TG-002		18W	Φ123*L90*H160 MM	
UPW-TG-003		36W	Φ153*L90*H181 MM	
UPW-TG-004		48W	Φ165*L90*H215 MM	
UPW-TG-005		72W	Φ195*L91*H277 MM	
UPW-TG-006		100W	Φ235*L91*H282 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power	Product Size	
UPW-TG-007		9W	Φ103*L158*H142 MM	
UPW-TG-008		18W	Φ123*L160*H162 MM	
UPW-TG-009		36W	Φ153*L159*H191 MM	
UPW-TG-010		48W	Φ165*L160*H203 MM	
UPW-TG-013		72W	Φ195*L160*H231 MM	
UPW-TG-029		100W	Φ235*L160*H271 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			




Model N.O.		Power		Product Size	
UPW-TG-030		9*2W		L110*1W08*H105 MM	
UPW-TG-031		20*1.5W		L160*W125*H125 MM	
UPW-TG-032		40*1.5W		L215*W160*H137 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-033		50W		L290*W230*H48 MM	
UPW-TG-034		100W		L310*W300*H53 MM	
UPW-TG-035		150W		L360*W300*H53 MM	
UPW-TG-036		200W		L370*W350*H53 MM	
UPW-TG-042		300W		L430*W400*H58 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	30° / 60° / 90°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-361		9*2W		Ø125*W130*H195 MM	
UPW-TG-362		24*1.5W		Ø190*W150*H250 MM	
UPW-TG-363		36*1.5W		Ø220*W160*H280 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-355		6*1W		Ø110*L110*H150 MM	
UPW-TG-356		9*2W		Ø135*L115*H180 MM	
UPW-TG-357		18*2W		Ø170*W130*H230 MM	
UPW-TG-358		36*1W		Ø200*W135*H260 MM	
UPW-TG-359		54*1W		Ø235*W140*H290 MM	
UPW-TG-360		100*1W		Ø285*W170*H290 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-134		9*2W		L96*W96*H150 MM	
UPW-TG-136		16*2W		L135*W135*H215 MM	
UPW-TG-137		24*2W		L170*W170*H260 MM	
UPW-TG-317		36*2W		L195*W195*H290 MM	
UPW-TG-318		60*2W		L213*W213*H345 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	CREE 3535	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K-6500K, Red, Green, Blue				



Model N.O.		Power		Product Size	
UPW-TG-797		72W		Φ195*350 MM	
UPW-TG-798		96W		Φ225*370 MM	
UPW-TG-799		120W		Φ235*378 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-800		18W		Φ140*100 MM	
UPW-TG-801		36W		Φ185*110 MM	
UPW-TG-802		48W		Φ215*120 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-803		96W		Φ236*215 MM	
UPW-TG-804		144W		Φ280*255 MM	
UPW-TG-805		200W		Φ325*285 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-806		144W		L465*W160*H191 MM	
UPW-TG-807		288W		L468*W350*H270 MM	
UPW-TG-808		200W		L535*W185*H214 MM	
UPW-TG-809		400W		L555*W400*H300 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power	Product Size	
UPW-TG-043		30W	L223*W181*H35 MM	
UPW-TG-044		50W	L253*W211*H35 MM	
UPW-TG-045		100W	L284*W241*H40 MM	
UPW-TG-046		150W	L314*W272*H43 MM	
UPW-TG-047		200W	L344*W301*H43 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	30° / 60° / 90°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power	Product Size	
UPW-TG-048		30W	L205*W186*H50 MM	
UPW-TG-049		50W	L245*W235*H48 MM	
UPW-TG-050		100W	L298*W288*H50 MM	
UPW-TG-051		150W	L340*W330*H64 MM	
UPW-TG-052		200W	L370*W359*H64 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	60° / 90°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power		Product Size	
UPW-TG-053		50W		L297*W246*H75 MM	
UPW-TG-054		100W		L325*W246*H75 MM	
UPW-TG-055		150W		L419*W315*H87 MM	
UPW-TG-061		200W		L419*W315*H87 MM	
UPW-TG-062		300W		L526*W345*H100 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	120°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-063		400W		L627*W356*H100 MM	
UPW-TG-064		500W		L832*W360*H100 MM	
UPW-TG-065		600W		L970*W360*H100 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	120°	Led's Brand	CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-066		50W		L310*W192*H45 MM	
UPW-TG-067		100W		L395*W248*H58 MM	
UPW-TG-068		200W		L395*W360*H58 MM	
UPW-TG-069		300W		L495*W395*H60 MM	
UPW-TG-070		400W		L585*W395*H60 MM	
Material	Aluminum Alloy, PC Len			Warranty	5 Years
Len's Angle	60° / 90°		Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power	Product Size	
UPW-TG-071		10W	L100*W130*H33 MM	
UPW-TG-072		20W	L135*W175*H43 MM	
UPW-TG-073		30W	L180*W220*H46 MM	
UPW-TG-074		50W	L225*W280*H56 MM	
UPW-TG-076		100W	L295*W350*H63 MM	
UPW-TG-077		200W	L400*W320*H76 MM	
UPW-TG-078		300W	L450*W405*H80 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	60° / 90°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power		Product Size	
UPW-TG-083		35W		L176*W150*H58 MM	
UPW-TG-085		80W		L241*W184*H72 MM	
UPW-TG-086		150W		L301*W229*H92 MM	
Material	Aluminum Alloy, Glass			Warranty	5 Years
Len's Angle	120°	Led's Brand	CREE, Osram, Lumileds		
Driver	Meanwell, Philips, DONE	Protect Grade	Waterproof IP65		
Input Voltage	90V-277VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-087		12W		Φ129*H120 MM	
UPW-TG-088		18W		Φ154*H135 MM	
UPW-TG-089		24W		Φ178*H148 MM	
UPW-TG-090		36W		Φ203*H163 MM	
UPW-TG-091		48W		Φ232*H175 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60° / 90°	Led's Brand	Bridgelux / Osram / Lumileds		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	100V-240VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-092		18*2W		Φ155*H175 MM	
UPW-TG-093		24*2W		Φ190*H209 MM	
UPW-TG-094		48*2W		Φ220*H235 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°		Led's Brand	Bridgelux, Osram, CREE	
Driver	DONE, Meanwell, Philips		Protect Grade	Waterproof IP65	
Input Voltage	100V-240VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-095		9*2W		L120*W120*H75 MM	
UPW-TG-097		16*2W		L150*W150*H80 MM	
UPW-TG-098		24*2W		L175*W175*H85 MM	
UPW-TG-099		36*2W		L200*W200*H95 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux / CREE		
Driver	DONE	Protect Grade	Waterproof IP65		
Input Voltage	100V-240VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				



Model N.O.		Power		Product Size	
UPW-TG-100		9*2W		L120*W120*H165 MM	
UPW-TG-101		16*2W		L150*W150*H190 MM	
UPW-TG-102		24*2W		L175*W175*H210 MM	
UPW-TG-103		36*2W		L200*W200*H240 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux / CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	100V-240VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				

Model N.O.		Power		Product Size	
UPW-TG-104		12*2W		Φ140*H160 MM	
UPW-TG-105		24*2W		Φ185*H191 MM	
UPW-TG-106		36*2W		Φ215*H196 MM	
Material	Aluminum Alloy, Glass			Warranty	3 Years
Len's Angle	15°, 30°, 45°, 60°	Led's Brand	Bridgelux, Osram, CREE		
Driver	DONE, Meanwell, Philips	Protect Grade	Waterproof IP65		
Input Voltage	100V-240VAC				
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K				