




Ms Kelly Ho

Tel: 0086-0760-8759 8298

WeChat: Upwardlighting

Website: <https://upwardlighting.com>

Mobile: 0086-135 2827 1092

WhatsApp: 0086 135 2827 1092

E-mail: sales2@upwardlighting.com

Mr Michael Liao

Tel: 0086-0760-8759 8298

Skype: zero hundred

Website: <https://upwardlighting.com>

WhatsApp: 0086 138 2277 0715

WeChat: Upwardlights

E-mail: michael@upwardlighting.com



ADD: FLOOR 5, N.O. 67 OF JINGANG ROAD, WEST DISTRICT OF ZHONGSHAN CITY, 528401, GUANGDONG PROVINCE, CHINA

ZHONGSHAN UPWARD LIGHTING CO., LTD



COMPANY PROFILE

Upward Lighting Co., Ltd was founded in 2009, which is a manufacturer & trading combo. We are specializing in the production of commercial led lighting products. Products of high quality, fashionable, widely used for indoor & outdoor decoration, launched around 10 new items per year, 98% of our products are exported to European countries, South America and North America.

Upward Lighting over the years has always adhered to “quality of products in order to survive, credibility and development services” business purposes. Committed to providing you with high-quality products and no worried after-sales services. Have a professional, skillful production team, from choosing to material supplier, inspecting to raw material, production processing to the product assembly, for each aspect and processes are rigorously testing and control.

Over the past few years of production and management and exploration, we have set up our own quality management system. Upward Lighting to always implement the concept of customer value creation for customers tailored products to meet the needs of different customers, and continuously provide customers with solutions and technical problems. Further exploration and innovation, and excellence.

Warmly welcome you and opening up the boundaries of communication. We synchronize with your ideal partner!



<https://upwardlighting.com>

Upward Lighting

Showroom



CHINA UPWARD LIGHTING CO., LTD

<https://upwardlighting.com>



Model: UPW-LTL-036
 Product Size: Φ400*H50 MM
 Power: 40W
 P.G.: IP65
 CRI: RA90
 Led Brand: Bridgelux
 Input Voltage: 110V/220V/24VDC
 Material: Aluminium Alloy + Tempered Glass
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-LTL-010
 Product Size: Φ400*H140 MM
 Power: 72W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb



Model: UPW-LTL-011
 Product Size: Φ360*H100 MM
 Power: 30W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb



Model: UPW-LTL-018
 Product Size: Φ425*H130 MM
 Power: 60W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb



Model: UPW-LTL-020
 Product Size: Φ500*H130 MM
 Power: 72W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb



Model: UPW-LTL-021
 Product Size: Φ500*H270 MM
 Power: 72W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb



Model: UPW-LTL-015
 Product Size: Φ460*H80 MM
 Power: 42W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb



Model: UPW-LTL-019
 Product Size: Φ470*H130 MM
 Power: 72W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb



Model: UPW-LTL-034
 Product Size: Φ665*H160 MM
 Power: 108W
 P.G.: IP65
 Led Brand: Bridgelux
 Input Voltage: 24VDC
 Material: Aluminium Alloy + Tempered Glass
 Len's Angle Options: 10°, 15°, 30°, 45°, 60°, 90°
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K
 Red, Green, Blue, DMX Rgb

