




Ms Kelly Ho

Tel: 0086 - 0760 - 8759 8298

WeChat: Upwardlighting

Website: <https://upwardlighting.com>

Mobile: 0086 - 135 2827 1092

WhatsApp: 0086 135 2827 1092

E-mail: sales2@upwardlighting.com

Mr Michael Liao

Tel: 0086 - 0760 - 8759 8298

Mobile: 0086 - 138 2277 0715


Website: <https://upwardlighting.com>

WhatsApp: 0086 - 138 2277 0715

WeChat: Upwardlights

E-mail: michael@upwardlighting.com

ADD: FLOOR 5, N.O. 67 OF JINGANG ROAD, WEST DISTRICT OF ZHONGSHAN CITY, 528401, GUANGDONG PROVINCE, CHINA



ZHONGSHAN UPWARD LIGHTING CO., LTD



Model N.O.		Power	Product Size
UPW-LD-112		100W	L423*W320*H140 MM
UPW-LD-113		150W	L423*W320*H140 MM
UPW-LD-114		200W	L523*W320*H140 MM
UPW-LD-115		250W	L523*W320*H140 MM
UPW-LD-116		400W	L655*W320*H140 MM
UPW-LD-117		500W	L855*W320*H140 MM
Material	Aluminum Alloy, Glass		Lumens
Warranty	5 Years		Led Options
Led's Color	2700K to 6500K		Protect Grade
Input Voltage	90V-277VAC		Power Factor
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-004		50W	L348*W280*H115 MM
UPW-LD-005		100W	L437*W280*H115 MM
UPW-LD-006		150W	L526*W280*H115 MM
UPW-LD-007		200W	L615*W280*H115 MM
UPW-LD-008		250W	L704*W280*H115 MM
UPW-LD-009		300W	L793*W280*H115 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-029		100W	L311*W310*H84 MM
UPW-LD-029-1		150W	L311*W310*H84 MM
UPW-LD-030		200W	L438*W310*H84 MM
UPW-LD-031		250W	L438*W310*H84 MM
UPW-LD-032		300W	L586*W320*H84 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-033		100W	L550*W320*H80 MM
UPW-LD-034		150W	L550*W320*H80 MM
UPW-LD-035		200W	L650*W320*H80 MM
UPW-LD-036		300W	L720*W320*H80 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-079		50W	L560*W196*H99 MM
UPW-LD-080		100W	L610*W245*H99 MM
UPW-LD-081		150W	L610*W245*H99 MM
UPW-LD-082		200W	L712*W300*H99 MM
UPW-LD-083		300W	L715*W340*H99 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-084		100W	L482*W326*H80 MM
UPW-LD-085		150W	L517*W406*H80 MM
UPW-LD-086		200W	L552*W406*H80 MM
UPW-LD-087		300W	L664*W406*H80 MM
Material	Aluminum Alloy, PC Len		Lumens
Warranty	5 Years		Led Options
Led's Color	2700K to 6500K		Protect Grade
Input Voltage	90V-277VAC		Power Factor
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-088		50W	L408*W230*H106 MM
UPW-LD-089		100W	L508*W230*H106 MM
UPW-LD-090		150W	L601*W257*H109 MM
Material	Aluminum Alloy, PC Len		Lumens
Warranty	5 Years		Led Options
Led's Color	2700K to 6500K		Protect Grade
Input Voltage	90V-277VAC		Power Factor
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-010		50W	L412*W280*H70 MM
UPW-LD-011		100W	L497*W280*H70 MM
UPW-LD-012		150W	L581*W280*H70 MM
UPW-LD-013		200W	L665*W280*H70 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-014		250W	L749*W280*H70 MM
UPW-LD-015		300W	L883*W280*H70 MM
UPW-LD-016		350W	L917*W280*H70 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-017		50W	L436*W280*H70 MM
UPW-LD-018		100W	L544*W280*H70 MM
UPW-LD-019		150W	L652*W280*H70 MM
UPW-LD-020		200W	L760*W280*H70 MM
UPW-LD-021		250W	L868*W280*H70 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-022		100W	L580*W315*H90 MM
UPW-LD-023		150W	L680*W315*H90 MM
UPW-LD-024		200W	L780*W315*H90 MM
UPW-LD-025		250W	L880*W315*H90 MM
UPW-LD-026		300W	L980*W315*H90 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-074		50W	L350*W320*H83 MM
UPW-LD-037		100W	L425*W320*H83 MM
UPW-LD-038		150W	L500*W320*H83 MM
UPW-LD-039		200W	L575*W320*H83 MM
Material	Aluminum Alloy, PC Len		Lumens
			130LM per Watt
Warranty	5 Years		Led Options
			CREE, Philips, Osram
Led's Color	2700K to 6500K		Protect Grade
			Waterproof IP65
Input Voltage	90V-277VAC		Power Factor
			0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-040		250W	L650*W320*H83 MM
UPW-LD-041		300W	L725*W280*H70 MM
UPW-LD-042		350W	L800*W280*H70 MM
Material	Aluminum Alloy, PC Len		Lumens
			130LM per Watt
Warranty	5 Years		Led Options
			CREE, Philips, Osram
Led's Color	2700K to 6500K		Protect Grade
			Waterproof IP65
Input Voltage	90V-277VAC		Power Factor
			0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-027		100W	L575*W355*H125 MM
UPW-LD-028		150W	L658*W355*H125 MM
UPW-LD-043		200W	L741*W355*H125 MM
UPW-LD-045		250W	L824*W355*H125 MM
UPW-LD-046		300W	L907*W355*H125 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-047		50W	L318*W263*H71 MM
UPW-LD-048		100W	L393*W263*H71 MM
UPW-LD-049		150W	L468*W263*H71 MM
UPW-LD-050		200W	L543*W263*H71 MM
UPW-LD-051		250W	L618*W263*H71 MM
UPW-LD-052		300W	L693*W263*H71 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-053		100W	L490*W292*H77 MM
UPW-LD-054		150W	L582*W292*H77 MM
UPW-LD-055		200W	L657*W292*H77 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-056		50W	L390*W278*H60 MM
UPW-LD-057		100W	L500*W278*H60 MM
UPW-LD-058		150W	L602*W278*H60 MM
UPW-LD-059		200W	L705*W278*H60 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-060		150W	L640*W360*H110 MM
UPW-LD-061		200W	L740*W360*H110 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-062		50W	L471*W320*H88 MM
UPW-LD-063		100W	L542*W320*H88 MM
UPW-LD-064		150W	L613*W320*H88 MM
UPW-LD-065		200W	L684*W320*H88 MM
UPW-LD-066		250W	L755*W320*H88 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-067		100W	L595*W300*H110 MM
UPW-LD-068		150W	L677*W300*H110 MM
UPW-LD-069		200W	L765*W300*H110 MM
UPW-LD-070		250W	L850*W320*H88 MM
Material	Aluminum Alloy, PC Len		Lumens
Warranty	5 Years		130LM per Watt
Led's Color	2700K to 6500K		Led Options
Input Voltage	90V-277VAC		CREE, Philips, Osram
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		Protect Grade
			Waterproof IP65
			Power Factor
			0.90-0.98

Model N.O.		Power	Product Size
UPW-LD-071		100W	L460*W310*H75 MM
UPW-LD-072		150W	L540*W310*H75 MM
UPW-LD-073		200W	L620*W300*H110 MM
Material	Aluminum Alloy, PC Len		Lumens
Warranty	5 Years		130LM per Watt
Led's Color	2700K to 6500K		Led Options
Input Voltage	90V-277VAC		CREE, Philips, Osram
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		Protect Grade
			Waterproof IP65
			Power Factor
			0.90-0.98



Model N.O.		Power	Product Size
UPW-LD-110		50W	L530*W250*H90 MM
UPW-LD-111		100W	L650*W250*H90 MM
UPW-LD-111-1		150W	L800*W310*H90 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-096		50W	L679*W233*H32 MM
UPW-LD-097		100W	L733*W233*H32 MM
UPW-LD-098		150W	L796*W260*H35 MM
UPW-LD-099		200W	L895*W320*H35 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		




Model N.O.		Power	Product Size
UPW-LD-118		50W	L460*W205*H110 MM
UPW-LD-119		100W	L520*W260*H120 MM
UPW-LD-120		150W	L580*W290*H130 MM
UPW-LD-121		200W	L750*W350*H140 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-075		50W	L555*W200*H105 MM
UPW-LD-076		100W	L615*W233*H100 MM
UPW-LD-077		150W	L675*W260*H100 MM
UPW-LD-078		200W	L726*W310*H113 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-091		100W	L454*W300*H85 MM
UPW-LD-092		150W	L532*W300*H85 MM
UPW-LD-093		200W	L610*W300*H85 MM
UPW-LD-094		250W	L688*W300*H85 MM
UPW-LD-095		300W	L766*W300*H85 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-100		50W	L472*W178*H67 MM
UPW-LD-101		80W	L545*W200*H55 MM
UPW-LD-102		100W	L572*W240*H65 MM
UPW-LD-103		150W	L642*W258*H65 MM
UPW-LD-104		200W	L657*W298*H65 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		




Model N.O.		Power	Product Size
UPW-LD-105		100W	L445*W300*H85 MM
UPW-LD-106		150W	L523*W300*H85 MM
UPW-LD-107		200W	L601*W300*H85 MM
UPW-LD-108		250W	L679*W300*H85 MM
UPW-LD-109		300W	L757*W300*H85 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-122		50W	L417*W265*H80 MM
UPW-LD-123		100W	L507*W265*H80 MM
UPW-LD-124		150W	L597*W265*H80 MM
UPW-LD-125		200W	L687*W265*H80 MM
UPW-LD-126		250W	L780*W265*H80 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-127		100W	L530*W300*H85 MM
UPW-LD-128		150W	L608*W300*H85 MM
UPW-LD-129		200W	L686*W300*H85 MM
UPW-LD-130		250W	L764*W300*H85 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-131		100W	L490*W300*H85 MM
UPW-LD-132		150W	L568*W300*H85 MM
UPW-LD-133		200W	L646*W300*H85 MM
UPW-LD-134		250W	L724*W300*H85 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-135		100W	L490*W300*H85 MM
UPW-LD-136		150W	L568*W300*H85 MM
UPW-LD-137		200W	L646*W300*H85 MM
UPW-LD-138		250W	L724*W300*H85 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-139		100W	L611*W325*H95 MM
UPW-LD-140		150W	L689*W325*H95 MM
UPW-LD-141		200W	L767*W325*H95 MM
UPW-LD-142		250W	L845*W325*H95 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		




Model N.O.		Power	Product Size
UPW-LD-143		100W	L626*W325*H110 MM
UPW-LD-144		150W	L704*W325*H110 MM
UPW-LD-145		200W	L782*W325*H110 MM
UPW-LD-146		250W	L860*W325*H110 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-147		100W	L572*W330*H95 MM
UPW-LD-148		150W	L649*W330*H95 MM
UPW-LD-149		200W	L726*W330*H95 MM
UPW-LD-150		250W	L803*W330*H95 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-151		50W	L500*W210*H65 MM
UPW-LD-152		100W	L550*W225*H65 MM
UPW-LD-153		150W	L600*W245*H70 MM
UPW-LD-154		200W	L660*W265*H70 MM
UPW-LD-155		300W	L790*W265*H70 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-156		50W	L417*W265*H80 MM
UPW-LD-157		100W	L507*W265*H80 MM
UPW-LD-158		150W	L597*W265*H80 MM
UPW-LD-159		200W	L687*W265*H80 MM
UPW-LD-160		250W	L780*W265*H80 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-161		100W	L530*W265*H80 MM
UPW-LD-162		150W	L632*W265*H80 MM
UPW-LD-163		200W	L683*W265*H80 MM
UPW-LD-164		250W	L734*W265*H80 MM
Material	Aluminum Alloy, Glass	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-165		50W	L510*W210*H90 MM
UPW-LD-166		100W	L580*W265*H90 MM
UPW-LD-167		150W	L685*W265*H90 MM
UPW-LD-168		200W	L735*W280*H90 MM
UPW-LD-169		300W	L783*W280*H110 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		



Model N.O.		Power	Product Size
UPW-LD-170		50W	L535*W210*H110 MM
UPW-LD-171		100W	L605*W265*H110 MM
UPW-LD-172		150W	L710*W265*H110 MM
UPW-LD-173		200W	L760*W280*H110 MM
UPW-LD-174		300W	L810*W280*H110 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		

Model N.O.		Power	Product Size
UPW-LD-175		50W	L535*W205*H80 MM
UPW-LD-176		100W	L605*W260*H80 MM
UPW-LD-177		150W	L705*W260*H80 MM
UPW-LD-178		200W	L760*W260*H80 MM
UPW-LD-179		300W	L810*W305*H80 MM
Material	Aluminum Alloy, PC Len	Lumens	130LM per Watt
Warranty	5 Years	Led Options	CREE, Philips, Osram
Led's Color	2700K to 6500K	Protect Grade	Waterproof IP65
Input Voltage	90V-277VAC	Power Factor	0.90-0.98
Driver Options	Meanwell, Philips, SOSEN, MOSO, DONE		